IN THE CLAIMS:

The following is a complete listing of the claims:

 (Previously Amended) A method of making a first-surface optical disk, comprising:

providing a father stamper, wherein the father stamper comprises spiral protrusions on a first surface corresponding to original laser cuts;

coating the first surface of the father stamper with nickel;

separating the nickel from the first surface to produce a second stamper having groove recesses on a first surface, wherein the groove recesses are mirror images of the spiral protrusions;

covering the first surface of the second stamper with a plastic material; separating the plastic material from the second stamper, wherein the plastic material has lands corresponding to the groove recesses of the second stamper;

depositing a phase-change material over the lands, wherein the phase-change material is in a first state upon deposition and in a second state after being written to, and wherein the change from the first state to the second state changes the optical phase of the phase-change material in the positive direction; and

depositing a dielectric layer over the phase-change material to form the firstsurface optical disk, the first-surface optical disk being distinguished from second-surface optical disks by the absence of a defocusing layer over the dielectric layer.

- 2. (Original) The method of claim 1, wherein the covering comprises injecting the plastic material using an injection molding process.
- 3. (Original) The method of claim 1, wherein the phase-change material is an SbInSn alloy.
- 4. (Original) The method of claim 1, wherein the providing comprises: providing a glass master disk with a first and a second principle surface; depositing a photoresist layer on the first principle surface of the disk; removing selected portions of

LAW OPPICES OF MACPHERSON KWOK CHEN & HEID UP \$402 MICHELSON DRIVE SUITE 210 INVINE CA 92812 (940) 732-7430 FAX (940) 732-7049

Page 2 of 7

the photoresist layer; depositing nickel over the photoresist layer; and separating the nickel from the photoresist layer to form the father stamper.

- 5. (Original) The method of claim 4, wherein the removing is by laser ablation.
- 6. (Original) The method of claim 4, wherein the removing comprises: exposing the selected portions of the photoresist layer; and etching the selected portions.
- 7. (Original) The method of claim 6, wherein the exposing is performed with a laser and results in the original laser cuts in the photoresist layer.
- 8. (Original) The method of claim 1, wherein data is written to the lands from exposure by a light source.
- 9. (Original) The method of claim 4, further comprising rotating the glass master disk and exposing the selected portions with a laser prior to the etching.
- 10. (Original) The method of claim 4, wherein the deposited photoresist layer is between approximately 20 nm and 120 nm.
- 11. (Original) The method of claim 4, wherein the deposited photoresist layer is between approximately 80 and 90 nm.
- 12. (Cancelled)
- 13. (Previously Amended) The method of claim 12, wherein the dielectric layer comprises silicon oxynitride.
- 14. (Original) The method of claim 1, wherein the father stamper further comprises bump protrusions on the first surface of the father stamper corresponding to original laser cuts, the second stamper further comprises pit recesses on the first surface

LAW OFFICES OF MACPHERSON KWOR CHEN & REID LU 2403 MICHELSON DEIVE SUITE 210 IRVINE CA 92812 (949) 752-70-0 FAX (048) 753-70-9

Page 3 of 7

of the second stamper, and the separated plastic material further has bumps corresponding to the pit recesses of the second stamper, and the method further comprising depositing the phase-change material over the bumps.

- 15. (Original) The method of claim 1, wherein the second stamper is a mother stamper.
- 16. (Original) The method of claim 1, wherein the father stamper is a first generation stamper, and the second stamper is an even-numbered generation stamper.
- 17. (Original) The method of claim 1, wherein the second stamper has features that are opposite in polarity to features of the father stamper.
- 18. (Original) The method of claim 1, wherein the plastic material is a polycarbonate material.
- 19. (Previously Amended) A method of forming a first-surface optical disk, comprising:

providing a stamper, wherein the stamper has grooves corresponding to an original laser cut;

filling the grooves with a plastic material;

separating the plastic material from the stamper, wherein the plastic material has lands corresponding to the grooves;

depositing a phase-change material over the lands, wherein the phase-change material has a positive optical phase shift at portions that are written to, wherein the shift is caused by a physical change in the material and a change in optical constants of the material, and

depositing a dielectric layer over the phase-change material to form the firstsurface optical disk, the first-surface optical disk being distinguished from second-surface optical disks by the absence of a defocusing layer over the dielectric layer.

LAW OFFICES OF MACPHEESON KWOK CHEN. HEID LIP 2402 MCHELSON DRIVE SUITE III INVINE CA 9MIL (949) 732-7049 FAX (949) 732-7049

Page 4 of 7

- 20. (Original) The method of claim 19, wherein the phase-change material comprises a SbInSn alloy.
- 21. (Original) The method of claim 19, wherein data is written on the lands.
- 22. (Original) The method of claim 21, wherein the data is read by tracking along the lands.
- 23. (Original) The method of claim 19, wherein the bumps are between approximately 80 nm and 90 nm in height.
- 24. (Original) The method of claim 19, wherein the stamper further comprises pits corresponding to the original laser cut, the method further comprising: filling the pits with the plastic material, wherein the plastic material also has bumps corresponding to the pits; and depositing the phase-change material over the bumps.
- 25. (Original) The method of claim 19, wherein the stamper is a mother stamper.
- 26. (Original) The method of claim 19, wherein the plastic material is a polycarbonate material.
- 27. (Cancelled)
- 28. (Cancelled)
- 29. (Cancelled)
- 30. (Cancelled)
- 31. (Cancelled)

MACPHERSON ICWOK CHEN HEID LIP 1402 MICHELSON DRIVS SUITÉ 210 IRVINS CA 95612 (341) 733-7040

Page 5 of 7